Neuroscience Letters, 213 (1996) 221–224
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abbruzzese, M., see Bellone, E., 71
Abe, T., see Funakoshi, K., 115
Aceves, J., see Hernández-López, S., 157
Adachi, T., Miyazaki, Y., Kurata, J., Utsumi, J., Shinomura, T., Nakao, S.-i., Murakawa, M., Shichino, T., Mori, K., Nitrous oxide depresses somatocardiac sympathetic A- and C-reflexes in anesthetized rats, 57
Ajmar, F., see Bellone, E., 71
Akkal, D., Burbaud, P., Audin, J., Bioulac, B., Responses of substantia nigra pars reticulata neurons to intrastriatal D1 and D2 dopaminergic agonist injections in the rat, 66
Albrecht, J., see Dolińska, M., 45
Allegrini, P.R., see Laurent, D., 209
Anderson, G.F., see Clough Helfman, C., 61
Andres, N., see Mahy, N., 169
Aranda, G., see Cisneros, B., 107
Arias-Montaño, J.-A., see de la Vega, M.-T., 29
Arnault, P., see Garnier, C., 33
Arvidsson, U., see Lai, J., 205
Asada, H., Yamaguchi, Y., Tsunoda, S., Fukuda, Y., Relation of abnormal burst activity of spinal neurons to the recurrence of autotomy in rats, 99
Asai, A., see Mishima, K., 153
Audin, J., see Akkal, D., 66

Balzamo, E., see Delpierre, S., 13
Barraco, R.A., see Clough Helfman, C., 61
Barrow, P., see Lurton, D., 181
Baumann, K.I., Chan, E., Halata, Z., Senok, S.S., Yung, W.-H., An isolated rat vibrissal preparation with stable responses of slowly adapting mechanoreceptors, 1
Bellone, E., Schenone, A., Mancardi, G., Nicholson, G.A., Abbruzzese, M., Ajmar, F., Mandich, P., Use of cosH1 probe in hereditary neuropathy with liability to pressure palsies: a reliable genetic test for demonstration of identical size of 17p11.2 deletion in unrelated patients, 71
Bencherif, M., see Papke, R.L., 201
Bilsky, E.J., see Lai, J., 205
Bioulac, B., see Akkal, D., 66
Bittner, G.D., see Weiner, O.D., 83
Bridgman, N., see Gibbins, I.L., 197
Burbaud, P., see Akkal, D., 66
Byrne, J.E., see Campbell, J.M., 173

Čacič, M., see Heffer-Lauc, M., 91
Calikoglu, A.S., Gutierrez-Ospina, G., D'Ercole, A.J., Congenital hypothyroidism delays the formation and retards the growth of the mouse primary somatic sensory cortex (S1), 132
Campbell, J.M., Payne, A.P., Gilmore, D.P., Byrne, J.E., Russell, D., McGadey, J., Clarke, D.J., Davies, R.W., Sutcliffe, R.G., Neostriatal dopamine depletion and locomotor abnormalities due to the Albino Swiss rat *agu* mutation, 173
Carroll, J., see Hess, D.C., 37
Chan, E., see Baumann, K.I., 1
Chiba, A., Oka, S., Honma, Y., Ontogenetic changes in neuropeptide Y-like-immunoreactivity in the terminal nerve of the chum salmon and the cloudy dogfish, with special reference to colocalization with gonadotropin-releasing hormone-immunoreactivity, 49
Chikugo, F., see Fukuta, Y., 95
Cisneros, B., Rendon, A., Genty, V., Aranda, G., Marquez, F., Mornet, D., Montañez, C., Expression of dystrophin Dp71 during PC12 cell differentiation, 107
Clarke, D.J., see Campbell, J.M., 173
Clough Helfman, C., Zhong, H., Barraco, R.A., Anderson, G.F., The effects of 5′-*N*-ethylcarboxamidoadenosine on evoked release of [^{3}H]serotonin in the rat nucleus tractus solitarius, 61
Coussemacq, M., see Lurton, D., 181

D'Ercole, A.J., see Calikoglu, A.S., 132
Damm, H., see Klinker, J.F., 25
Davies, R.W., see Campbell, J.M., 173
Davies, S.N., see Stewart, C.A., 177
de la Vega, M.-T., Nuñez, A., Arias-Montaño, J.-A., Carbachol stimulates inositol phosphate formation in rat thalamus slices through muscarinic M_3-receptor activation, 29
Debilly, G., see Vanni-Mercier, G., 127
Décorps, M., see Le Bars, E., 123
Delpierre, S., Balzamo, E., Pugnat, C., Jammes, Y., Cardiorespiratory response to bicuculline during resistive loaded breathing in anesthetized rabbits, 13
Devoulon, P., see Le Bars, E., 123
Dewar, D., see Irving, E.A., 189
Diaz, R., see Mahy, N., 169
Dolińska, M., Hilgier, W., Albrecht, J., Ammonia stimulates glutamine uptake to the cerebral non-synaptic mitochndria of the rat, 45
Dupeyre, R., see Le Bars, E., 123

Eis, M., see Laurent, D., 209
Elde, R., see Lai, J., 205

Ferriero, D.M., see Spanggord, H., 41
Flores, G., see Hernández-López, S., 157
Fukuda, Y., see Asada, H., 99
Fukuta, Y., Yoshizumi, M., Kitagawa, T., Hori, T., Chikugo, F., Kawahito, T., Katoh, I., Houchi, H., Oka, M., Angiotensin II as a stimulator of Na^+-dependent Ca^{2+} efflux from freshly isolated adult rat cardiomyocytes, 95
Funakoshi, K., Abe, T., Kishida, R., Direct projections from the spinal cord to the trigeminal sympathetic ganglion of the puffer fish, *Takifugu niphobles*, 115
Furukawa, M., Ikeda, K., Takeuchi, S., Oshima, T., Kikuchi, T., Takasaka, T., Na^+,K^+-ATPase activity in the cochlear lateral wall of the gerbil, 165
Fuxe, K., see Mahy, N., 169

Garnier, C., Arnault, P., Létang, J., Roger, M., Development of projections from transplants of embryonic medial or lateral frontal cortex placed in the lateral frontal cortex of newborn hosts, 33
Genty, V., see Cisneros, B., 107
Gibbins, I.L., Matthew, S.E., Bridgman, N., Morris, J.L., Sympathetic vasoconstrictor neurons projecting from the guinea-pig superior cervical ganglion to cutaneous or skeletal muscle vascular beds can be distinguished by soma size, 197
Gill, R., see van Lookeren Campagne, M., 111
Gilmore, D.P., see Campbell, J.M., 173

Glick, S.D., see Pearl, S.M., 5
Graham, D.I., see Irving, E.A., 189
Greenberg, D.A., see Lustig, H.S., 142
Gutierrez-Ospina, G., see Calikoglu, A.S., 132

Halata, Z., see Baumann, K.I., 1
Hari, R., see Salenius, S., 75
Haynes, L.W., see Holmes, F.E., 185
Heffer-Lauc, M., Čacič, M., Judaš, M., Müthing, J., Anti-G_{M3} (II^3Neu5Ac-lactosylceramide) ganglioside antibody labels human fetal Purkinje neurons during the critical stage of cerebellar development, 91
Hernández-López, S., Flores, G., Rosales, M.G., Sierra, A., Martínez-Fong, D., Aceves, J., Muscarinic antagonists microinjected into the subthalamic nucleus decrease muscular rigidity in reserpinized rats, 157
Hess, D.C., Thompson, Y., Sprinkle, A., Carroll, J., Smith, J., E-Selectin expression on human brain microvascular endothelial cells, 37
Higashiyama, S., see Mishima, K., 153
Hilgier, W., see Dolińska, M., 45
Holmes, F.E., Haynes, L.W., Superactivation of transglutaminase type 2 without change in enzyme level occurs during progressive neurodegeneration in the *mnd* mouse mutant, 185
Honma, Y., see Chiba, A., 49
Hori, T., see Fukuta, Y., 95
Houchi, H., see Fukuta, Y., 95

Ichinose, M., see Sawada, M., 213
Ikeda, K., see Furukawa, M., 165
Ingham, N.J., see Thornton, S.K., 216
Inoue, T., see Masumura, M., 119
Irving, E.A., Nicoll, J., Graham, D.I., Dewar, D., Increased tau immunoreactivity in oligodendrocytes following human stroke and head injury, 189

Jadhao, A.G., see Meyer, D.L., 87
Jammes, Y., see Delpierre, S., 13
Judaš, M., see Heffer-Lauc, M., 91

Kajander, K.C., see Simone, D.A., 53
Kan, J.-P., see Terranova, J.-P., 79
Katoh, I., see Fukuta, Y., 95
Kawabata, M., see Nishibori, M., 193
Kawahara, N., see Mishima, K., 153
Kawahito, T., see Fukuta, Y., 95
Kikuchi, T., see Furukawa, M., 165
Kirino, T., see Mishima, K., 153
Kishida, R., see Funakoshi, K., 115
Kitagawa, T., see Fukuta, Y., 95
Klinker, J.F., Lichtenberg-Kraag, B., Damm, H., Rommelspacher, H., Activation of pertussis toxin-sensitive G-proteins in membranes of SH-SY5Y human neuroblastoma cells and bovine transducin by ethanol, 25
Kobayashi, M., Nikami, H., Morimatsu, M., Saito, M., Expression and localization of insulin-regulatable glucose transporter (GLUT4) in rat brain, 103
Krieg, P.A., see Weiner, O.D., 83
Kuchino, Y., see Mishima, K., 153
Kurata, J., see Adachi, T., 57

Lai, J., Riedl, M., Stone, L.S., Arvidsson, U., Bilsky, E.J., Wilcox, G.L., Elde, R., Porreca, F., Immunofluorescence analysis of antisense oligodeoxynucleotide-mediated 'knock-down' of the mouse δ opioid receptor in vitro and in vivo, 205
Laurent, D., Eis, M., Sauer, D., Theilkaes, W., Allegrini, P.R., Reduction of excitotoxicity-induced brain damage by the competitive NMDA antagonist CGP 40116: a longitudinal study using diffusion-weighted imaging, 209
Le Bars, E., Roussel, S., Rémy, C., Loubinoux, I., Devoulon, P., Méric, P., Pinard, E., Dupeyre, R., Décorps, M., Massarelli, R., Delayed progression of cytotoxic oedema in focal cerebral ischemia after treatment with a torasemide derivative: a diffusion-weighted magnetic resonance imaging study, 123
Le Fur, G., see Terranova, J.-P., 79
Létang, J., see Garnier, C., 33
Lichtenberg-Kraag, B., see Klinker, J.F., 25
Lin, J.S., see Vanni-Mercier, G., 127
Lippiello, P., see Papke, R.L., 201
Loubinoux, I., see Le Bars, E., 123
Lurton, D., Coussemacq, M., Barrow, P., Sundstrom, L.E., Rougier, A., Widespread ectopic neuropeptide-Y immunoreactivity in contralateral mossy fibres after a unilateral intrahippocampal kainic acid injection in the rat, 181
Lustig, H.S., von B. Ahern, K., Greenberg, D.A., ω-Agatoxin IVA and excitotoxicity in cortical neuronal cultures, 142

Mahy, N., Diaz, R., Andres, N., Fuxe, K., Ibotenic acid in the medial septum increased brain-derived neurotrophic factor mRNA levels in the dorsal rat hippocampal formation, 169
Malz, C.R., see Meyer, D.L., 87
Mancardi, G., see Bellone, E., 71
Mandich, P., see Bellone, E., 71
Marquez, F., see Cisneros, B., 107
Martínez-Fong, D., see Hernández-López, S., 157
Massarelli, R., see Le Bars, E., 123
Masumura, M., Murayama, N., Inoue, T., Ohno, T., Selective induction of fibroblast growth factor receptor-1 mRNA after transient focal ischemia in the cerebral cortex of rats, 119
Matthew, S.E., see Gibbins, I.L., 197
McCoy, L., Richfield, E.K., Chronic antipsychotic treatment alters glycine-stimulated NMDA receptor binding in rat brain, 137
McCrossan, D., see Thornton, S.K., 216
McGadey, J., see Campbell, J.M., 173
Mello, L.E.A.M., Mendez-Otero, R., Expression of 9-*O*-acetylated gangliosides in the rat hippocampus, 17
Mendez-Otero, R., see Mello, L.E.A.M., 17
Méric, P., see Le Bars, E., 123
Meyer, D.L., Malz, C.R., Jadhao, A.G., Nervus terminalis projection to the retina in the 'four-eyed' fish, *Anableps anableps*, 87
Mishima, K., Higashiyama, S., Nagashima, Y., Miyagi, Y., Tamura, A., Kawahara, N., Taniguchi, N., Asai, A., Kuchino, Y., Kirino, T., Regional distribution of heparin-binding epidermal growth factor-like growth factor mRNA and protein in adult rat forebrain, 153
Miyagi, Y., see Mishima, K., 153
Miyazaki, Y., see Adachi, T., 57
Montañez, C., see Cisneros, B., 107
Mori, K., see Adachi, T., 57
Mori, S., see Nishibori, M., 193
Morimatsu, M., see Kobayashi, M., 103
Mornet, D., see Cisneros, B., 107

Morris, J.L., see Gibbins, I.L., 197
Murakawa, M., see Adachi, T., 57
Murayama, N., see Masumura, M., 119
Müthing, J., see Heffer-Lauc, M., 91

Nagashima, Y., see Mishima, K., 153
Nakamura, S., see Yamashita, H., 145
Nakao, S.-i., see Adachi, T., 57
Nakaya, N., see Nishibori, M., 193
Neuper, C., see Salenius, S., 75
Nicholson, G.A., see Bellone, E., 71
Nicoll, J., see Irving, E.A., 189
Nikami, H., see Kobayashi, M., 103
Nishibori, M., Nakaya, N., Tahara, A., Kawabata, M., Mori, S., Saeki, K., Presence of macrophage migration inhibitory factor (MIF) in ependyma, astrocytes and neurons in the bovine brain, 193
Nuñez, A., see de la Vega, M.-T., 29

Ohno, T., see Masumura, M., 119
Oka, M., see Fukuta, Y., 95
Oka, S., see Chiba, A., 49
Oshima, T., see Furukawa, M., 165

Papke, R.L., Bencherif, M., Lippiello, P., An evaluation of neuronal nicotinic acetylcholine receptor activation by quaternary nitrogen compounds indicates that choline is selective for the $\alpha 7$ subtype, 201
Payne, A.P , see Campbell, J.M., 173
Pearl, S.M., Glick, S.D., Prolonged antagonism of morphine-induced locomotor stimulation by κ opioid agonists: enhancement by prior morphine exposure, 5
Pélisson, D., see Vanni-Mercier, G., 127
Perreaut, P., see Terranova, J.-P., 79
Pestarino, M., Vallarino, M., Immunoreactive Phe-Met-Arg-Phe-NH_2-like peptides in the brain of the antarctic icefish, *Chionodraco hamatus*, 21
Pfurtscheller, G., see Salenius, S., 75
Pinard, E., see Le Bars, E., 123
Porreca, F., see Lai, J., 205
Pugnat, C., see Delpierre, S., 13

Regan, R.F., The vulnerability of spinal cord neurons to excitotoxic injury: comparison with cortical neurons, 9
Rémy, C., see Le Bars, E., 123
Rendon, A., see Cisneros, B., 107
Richfield, E.K., see McCoy, L., 137
Riedl, M., see Lai, J., 205
Roger, M., see Garnier, C., 33
Rommelspacher, H., see Klinker, J.F., 25
Rosales, M.G., see Hernández-López, S., 157
Rougier, A., see Lurton, D., 181
Roussel, S., see Le Bars, E., 123
Russell, D., see Campbell, J.M., 173

Saeki, K., see Nishibori, M., 193
Saito, M., see Kobayashi, M., 103
Salenius, S., Salmelin, R., Neuper, C., Pfurtscheller, G., Hari, R., Human cortical 40 Hz rhythm is closely related to EMG rhythmicity, 75
Salmelin, R., see Salenius, S., 75
Salzet, M., Verger-Bocquet, M., Biochemical evidence of the sodium influx stimulating related peptide in the brain of the leech *Theromyzon tessulatum*, 161
Sauer, D., see Laurent, D., 209
Sawada, M., Ichinose, M., Amyloid β proteins reduce the GABA-induced Cl^- current in identified *Aplysia* neurons, 213
Schenone, A., see Bellone, E., 71
Senok, S.S., see Baumann, K.I., 1
Seppä, M.T., see Uusitalo, M.A., 149
Sheldon, R.A., see Spanggord, H., 41
Shichino, T., see Adachi, T., 57
Shinomura, T., see Adachi, T., 57
Sierra, A., see Hernández-López, S., 157
Simone, D.A., Kajander, K.C., Excitation of rat cutaneous nociceptors by noxious cold, 53
Smith, J., see Hess, D.C., 37
Soubrié, P., see Terranova, J.-P., 79
Spanggord, H., Sheldon, R.A., Ferriero, D.M., Cysteamine eliminates nitric oxide synthase activity but is not protective to the hypoxic-ischemic neonatal rat brain, 41
Sprinkle, A., see Hess, D.C., 37
Stewart, C.A., Davies, S.N., Repeated electroconvulsive stimulation impairs synaptic plasticity in the dentate gyrus in vivo but has no effect in CA1 in vitro, 177
Stone, L.S., see Lai, J., 205
Storme, J.-J., see Terranova, J.-P., 79
Sundstrom, L.E., see Lurton, D., 181
Sutcliffe, R.G., see Campbell, J.M., 173

Tahara, A., see Nishibori, M., 193
Takasaka, T., see Furukawa, M., 165
Takeuchi, S., see Furukawa, M., 165
Tamura, A., see Mishima, K., 153
Taniguchi, N., see Mishima, K., 153
Terranova, J.-P., Kan, J.-P., Storme, J.-J., Perreaut, P., Le Fur, G., Soubrié, P., Administration of amyloid β-peptides in the rat medial septum causes memory deficits: reversal by SR 57746A, a non-peptide neurotrophic compound, 79
Theilkaes, W., see Laurent, D., 209
Thompson, Y., see Hess, D.C., 37
Thornton, S.K., Withington, D.J., McCrossan, D., Ingham, N.J., The effect of dark-rearing, strobe-rearing and acute visual cortex removal on the visual responses in the superficial superior colliculus of the guinea-pig, 216
Tsunoda, S., see Asada, H., 99

Utsumi, J., see Adachi, T., 57
Uusitalo, M.A., Williamson, S.J., Seppä, M.T., Dynamical organisation of the human visual system revealed by lifetimes of activation traces, 149

Vallarino, M., see Pestarino, M., 21
van Lookeren Campagne, M., Gill, R., Ultrastructural morphological changes are not characteristic of apoptotic cell death following focal cerebral ischaemia in the rat, 111
Vanni-Mercier, G., Debilly, G., Lin, J.S., Pélisson, D., The caudo ventral pontine tegmentum is involved in the generation of high velocity eye saccades in bursts during paradoxical sleep in the cat, 127
Verger-Bocquet, M., see Salzet, M., 161

von B. Ahern, K., see Lustig, H.S., 142

Weiner, O.D., Zorn, A.M., Krieg, P.A., Bittner, G.D., Medium weight neurofilament mRNA in goldfish Mauthner axoplasm, 83
Wilcox, G.L., see Lai, J., 205
Williamson, S.J., see Uusitalo, M.A., 149
Withington, D.J., see Thornton, S.K., 216

Yamaguchi, Y., see Asada, H., 99
Yamashita, H., Nakamura, S., Nicotine rescues PC12 cells from death induced by nerve growth factor deprivation, 145
Yoshizumi, M., see Fukuta, Y., 95
Yung, W.-H., see Baumann, K.I., 1

Zhong, H., see Clough Helfman, C., 61
Zorn, A.M., see Weiner, O.D., 83